

# MSDS *Material Safety Data Sheet*

Service Champ

---

## Service Champ, Windshield Washer Superconcentrate

MSDS Number: 30002

Revision Date: 3/14/2012

Page 1 of 9

---

1

### PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Service Champ  
180 New Britain Rd  
Chalfont, PA. 18914

**Contact:** Technical Department  
**Phone:** 215-822-8500 ext. 161  
**Fax:** 215-822-0151

---

**Product Name:** Service Champ, Windshield Washer Superconcentrate  
**Revision Date:** 3/14/2012  
**Version:** 2  
**MSDS Number:** 30002  
**Common Name:** AQUEOUS SOLUTION OF NONPHENOL ETHOXYLATE  
**RCRA Number:** N/A

# MSDS *Material Safety Data Sheet*

Service Champ

## Service Champ, Windshield Washer Superconcentrate

MSDS Number: 30002

Revision Date: 3/14/2012

Page 2 of 9

### 2 HAZARDS IDENTIFICATION

**Route of Entry:** Ingestion, Aspiration, Eyes, Skin absorption

**Target Organs:** Not Given

**Inhalation:** Minimal respiratory tract irritation may occur with exposure to a large amount of material  
Respiratory irritation, dizziness

**Skin:** May irritate skin, and or exacerbate pre-existing skin conditions i.e dermatitis


**Eye:** Will Cause irritation, redness, tearing, and blurred vision upon direct contact

**Ingestion:** Ingestion is not applicable route of entry for intended use, will cause discomfort, nausea, vomiting and diarrhea

Carcinogen listing by: National Toxicology Program (NTP)  
I.A.R.C (NO)  
OSHA (NO)  
ACGIH (NO)  
This product does NOT require a cancer hazard warning in accordance with the OSHA Hazard Communication Standard.

CANADA WHMIS classification: CONTROLLED PRODUCT

D2B- Irritant



NOT INTENDED FOR HOUSEHOLD USE!

\*\*\*\*\*

THE INFORMATION IN THE MATERIAL SAFETY DATA SHEET (MSDS) SHALL BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT OR OTHERWISE BE EXPOSED TO THIS PRODUCT. SERVICE CHAMP ENCOURAGES AND EXPECTS THE USER, DISTRIBUTOR, HANDLER TO READ THE ENTIRE MSDS, AND CONSULT APPROPRIATE EXPERTISE AS NECESSARY, TO BECOME AWARE OF AND FULLY UNDERSTAND THE INFORMATION CONTAINED IN THE MSDS AND OF ANY OCCUPATIONAL HAZARDS ASSOCIATED WITH THIS PRODUCT USE IN THE WORKPLACE.

# MSDS *Material Safety Data Sheet*

Service Champ


## Service Champ, Windshield Washer Superconcentrate

MSDS Number: 30002

Revision Date: 3/14/2012

Page 3 of 9

NFPA: Health = 2, Fire = 1, Reactivity = 0  
HMIS III: H2/F1/PH0



### 3 COMPOSITION/INFORMATION ON INGREDIENTS

#### Ingredients:

COMPONENT MATERIALS CONSIDERED HAZARDOUS PER FEDERAL, STATE OR PROVINCIAL OCCUPATIONAL HEALTH, AND REGULATORY BODIES

Cas #	Percentage	Chemical Name
111-76-2	1.0%-5.0%	2-Butoxyethanol
9016-45-9	10.0%- 30.00%	Ethoxylated Nonylphenol

#### OSHA Regulatory Status:

This MSDS Contains valuable information critical to the safe handling and proper use of this product. This MSDS should be retained and available for employees and other users of this product.

### 4 FIRST AID MEASURES

- Inhalation:** Vapors should not be present at normal working temperature. Remove to fresh air. If not breathing, give artificial respiration. Seek emergency medical attention.
- Skin Contact:** Wash with soap and water. Seek medical attention if persistent irritation occurs.
- Eye Contact:** Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Seek medical attention
- Ingestion:** Dilute with copious amounts of fluid (e.g. water, milk, juice, etc.).  
DO NOT induce vomiting  
SEEK emergency medical attention

# MSDS *Material Safety Data Sheet*

Service Champ

## Service Champ, Windshield Washer Superconcentrate

MSDS Number: 30002

Revision Date: 3/14/2012

Page 4 of 9

### 5 FIRE FIGHTING MEASURES

**Flash Point:** > 212 degrees F  
**Flash Point Method:** Ccc  
**Burning Rate:** NA  
**Autoignition Temp:** NA  
**LEL:** NA  
**UEL:** NA  
**Flammability:** NFPA class IIIB  
Dry powder, foam, carbon dioxide.

### 6 ACCIDENTAL RELEASE MEASURES

**Release Measures:**

Adopt appropriate HAZWOPER personal protection measures pursuant to 29 CFR 1910.119

Extinguish any open flames and remove heat sources.

CONTAIN, ABSORB, CONTROL THE SPILLAGE WITH THE SAFEST MOST EFFECTIVE MEANS AT YOUR DISPOSAL.

This material will NOT float on water and will be transported by stormwater runoff. Soils to the ground should be immobilized and removed immediately. Spills to watercourse such as storm drains, sewers, ditches, streams.

For safety and environmental precautions, please review entire Material Safety Data Sheet for necessary information.

\* Information about ingredient percentages of product, according to RQ (Reportable Quantity), :Available upon request in the event of major uncontrolled release.

### 7 HANDLING AND STORAGE

**Handling Precautions:** Handle with care and avoid spillage on the floor ( slippage).  
Consider normal working hygiene.

Do not puncture or drop containers.

DO NOT WEAR CONTACT LENSES

**Storage Requirements:** Store in cool/dry area;  
Suitable packing materials

EMPTY CONTAINER WARNING!

"Empty" containers retain residue (liquid and/or vapor) and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH

# MSDS *Material Safety Data Sheet*

Service Champ

## Service Champ, Windshield Washer Superconcentrate

MSDS Number: 30002

Revision Date: 3/14/2012

Page 5 of 9

For work on tanks, refer to OSHA regulations, ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or contemplated operations.

### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Use mechanical (general) ventilation for storage areas. All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94) and NFPA 30 standards.

**Personal Protective Equip:** Sealed monogoggles, Gloves such as Butyl rubber or Neoprene, NIOSH approved and N95 rated respirator if misting of product occurs.

HMIS PP, X | Consult your supervisor for special instructions

If there is likelihood of splashing, chemical impervious clothing should be worn. Never wear oil chemical clothing. Affix warning labels on containers in accordance with 29 CFR 1910.1200 (Hazard Communication Standard)

#### Component Exposure Limits: OSHA permissible exposure limit:

2 -Butoxyethanol

**USA OSHA (PEL):** 240 mg/m<sup>3</sup> (skin)  
**ACGIH (TWA/TLV):** consult NIOSH pocket guide

**Respiratory Protection:** X- consult supervisor  
**Ventilation:** X- consult supervisor  
**Protective Gloves:** X- consult supervisor  
**Eye Protection:** X- consult supervisor  
**Other Protective Equipment:** X- consult supervisor

\*\*\*\*\*  
Note: PERSONAL PROTECTIVE EQUIPMENT (ppe) REQUIREMENTS ARE RELATED TO CONDITIONS OF USE, WHICH CANNOT BE SUITABLY PREDICTED BY THE PRODUCT MANUFACTURER. DETERMINATION OF NECESSARY (ppe) IS THE RESPONSIBILITY OF THE EMPLOYER/ USER, BASED ON ASSESSMENT AND KNOWLEDGE OF THE EMPLOYER'S INDUSTRIAL PROCESSES AND WORKPLACE ENVIRONMENT. IN EVERY CIRCUMSTANCE OF CHEMICAL EXPOSURE, THE EMPLOYER SHALL LIMIT WORKER EXPOSURES TO THIS PRODUCT FIRST BY IMPLEMENTING EFFECTIVE ENGINEERING CONTROLS, AND SECOND BY IMPLEMENTING ADMINISTRATIVE CONTROLS. PERSONAL PROTECTIVE EQUIPMENT (ppe) SHALL BE USED DILIGENTLY BY WORKERS WHEN ENGINEERING AND ADMINISTRATIVE CONTROLS DO NOT FULLY PREVENT CHEMICAL EXPOSURE TO THIS PRODUCT.

### 9 PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Dark Blue

# MSDS *Material Safety Data Sheet*

Service Champ

## Service Champ, Windshield Washer Superconcentrate

MSDS Number: 30002

Revision Date: 3/14/2012

Page 6 of 9

<b>Physical State:</b>	Liquid	<b>Odor:</b>	None
<b>Spec Grav./Density:</b>	1.009	<b>Solubility:</b>	Complete
<b>Boiling Point:</b>	212 degrees F	<b>VOC:</b>	5.0%
<b>pH:</b>	4.69		
<b>Evap. Rate:</b>	slower than Butyl acetate		

10

### STABILITY AND REACTIVITY

<b>Stability:</b>	Product is stable under normal conditions.
<b>Conditions to Avoid:</b>	High heat, freezing temperatures
<b>Materials to Avoid:</b>	Acids. Peroxides, oxidizers
<b>Hazardous Decomposition:</b>	Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.
<b>Hazardous Polymerization:</b>	Will not occur.

11

### TOXICOLOGICAL INFORMATION

#### IMMEDIATE (ACUTE) EFFECTS:

ACUTE STUDIES : Moderate order, possible pulmonary effects as irritant. Eye/ skin irritant

ACUTE SKIN: Prolonged skin contact tends to remove skins oils, leading to irritation and dermatitis, however, based on human experience and available toxicological data, this product is not judged to be "corrosive" by OSHA criteria. Product not tested for dermal toxicity, or 15 STEL, skin notation.

EYE EFFECTS: Product contacting eyes will cause strong irritation

ACUTE ORAL : Product has moderate order of acute toxicity, amounts aspirated into the lungs during ingestion or vomiting may cause mild to severe pulmonary injury.

ACUTE INHALATION: Product has a moderate order of acute toxicity, but amounts aspirated into the lungs during ingestion or vomiting may cause pulmonary injury

Carcinogenic-NTP/IARC: There is no available evidence known, to state that this chemical product poses a carcinogenic risk in humans under normal conditions of handling and industrial use.

Specific L/D 50 data about product: NOT AVAILABLE

12

### ECOLOGICAL INFORMATION

#### ENVIRONMENTAL HAZARDS

If applied to leaves, this product may kill grass and small plants by interfering with transpiration and respiration. This product may be toxic to fish and will affect gill structures resulting in suffocation if spilled in shallow, stagnate water. Product may be

# MSDS *Material Safety Data Sheet*

**Service Champ**

## Service Champ, Windshield Washer Superconcentrate

MSDS Number: 30002

Revision Date: 3/14/2012

Page 7 of 9

toxic to amphibians by preventing dermal respiration. This product may cause gastrointestinal distress to birds and mammals through ingestion during pelage grooming.

### ENVIRONMENTAL FATE

This product is somewhat biodegradable. Biodegradation is possible within 120 to 180 days in aerobic environments at temperatures above 70 degrees F.

IN GENERAL, PRODUCT DEMONSTRATES VERY HIGH WATER SOLUBILITY

WHEN EXPOSED TO THE NATURAL ENVIRONMENT.

Specific L/C 50 data in aquatic environments, about product: NOT AVAILABLE

13

### DISPOSAL CONSIDERATIONS

#### DISPOSAL

Product, as supplied DOES NOT meet the characteristics of a hazardous waste as defined in 40 CFR 261.21-24. If mixed with other products, waste mixture must be characterized. However, DO NOT dispose of this product in drains or storm sewers.

CONTAINS HIGH CONCENTRATE DYE THAT WILL DISPERSE AND NOT READILY DEGRADE !!!

Dispose of in accordance with local regulations at a suitable waste-disposal site approved by local, state/provincial authorities.

14

### TRANSPORT INFORMATION

DOT: Not Regulated

TDG: Not Regulated

IATA: Not Regulated

IMDG: Not Regulated

ADR: Not Regulated

\*\*\*\*\*  
THIS SECTION IS PROVIDED FOR GENERAL INFORMATION ONLY. THE SHIPPING DESCRIPTION ABOVE MAY NOT REPRESENT REQUIREMENTS FOR ALL MODES OF TRANSPORTATION, PACKAGING, SHIPPING METHODS, OR LOCATIONS OUTSIDE OF THE GEOGRAPHIC BOUNDARIES OF THE U.S.A.

Other party shipper: For more complete transportation regulatory information; please refer to the appropriate dangerous goods code of

# MSDS *Material Safety Data Sheet*

Service Champ

## Service Champ, Windshield Washer Superconcentrate

MSDS Number: 30002

Revision Date: 3/14/2012

Page 8 of 9

regulations, in order to complete necessary shipping documents.

15

### REGULATORY INFORMATION

COMPLIANCE \* Information about product ingredient percentages: available upon request

U.S. FEDERAL REGULATORY INFORMATION (SARA/ EPCRA Title III, 42 U.S.C 11001 )  
Chemicals in this product are subject to the reporting requirements EPCRA.

EPCRA section 301-303- Threshold Planning Quantity: Y

EPCRA section 304 -Reportable Quantity: Y

EPCRA section 311

Categories: Immediate (Acute Health effects)- N

Delayed Chronic effects- N

Fire Hazard-N

Sudden Release of pressure-N

Reactivity Hazard-N

EPCRA section 312- Threshold Planning Quantity: Y

EPCRA section 313- Y

USEPA/ TSCA Inventory: The components of this product are listed on the USEPA/TSCA (Toxic Substances Control Act) inventory of chemicals, 15 U.S.C. 2601.

COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION AND LIABILITY ACT (CERCLA 42 U.S.C 9601 ):  
Chemicals in this product are subject to the reporting requirements CERCLA section 103

OSHA Hazard Communication Standard: This product has been evaluated and determined to be hazardous as defined in OSHA's Hazard Communication Standard.

STATE and COMMUNITY Right-To-Know regulations (RTK);

LA,CA,NJ,PA,MA,FL,MI,IL,RI,ME,ID,MN,DE

Components Listed in sec 3- Yes

Extremely, Extraordinarily, and Special Hazardous Substance- NJ,MA,PA,NY,WA,WV,WI

Components Listed in sec 3- Yes

CALIFORNIA PROPOSITION 65: This product DOES NOT contain chemicals known to the State of California to cause cancer, birth defects, or reproductive harm.

### CANADIAN REGULATORY INFORMATION

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations(CPR) and the MSDS contains all the information required by the Controlled Products Regulations.

This products contents are listed on the Canadian Domestic Substances List (DSL)

\*\*\*\*\*

THE INFORMATION PROVIDED HEREIN THIS SECTION MAY NOT INCLUDE THE IMPACT OF ADDITIONAL REGULATORY REQUIREMENTS (e.g., for materials meeting the definition of hazardous waste under RCRA, hazardous substances under CERCLA, and/of marine pollutants (MARPOL) under CWA or similar federal, state, provincial or laws regulations, within or outside the geographic boundaries of the U.S.A.

# MSDS *Material Safety Data Sheet*

Service Champ

## Service Champ, Windshield Washer Superconcentrate

MSDS Number: 30002

Revision Date: 3/14/2012

Page 9 of 9

16

### OTHER INFORMATION

STATEMENTS DENOTED BELOW THIS TYPE SCRIPT ARE MEANT AS DISCLAIMER\*\*\*\*\*

#### ACKNOWLEDGEMENT UPON PURCHASE

USERS RESPONSIBILITY; THIS MSDS IS INTENDED TO MEET THE SPECIFIC REQUIREMENTS OF 29 CFR1910.1200 (U.S.A), HAZARDOUS PRODUCTS ACT AND CONTROLLED PRODUCTS REGULATIONS (CANADA), NOM 018 STPS 2000 (MEXICO), AND ANSIZ400.1-200, AND SHOULD BE USED ACCORDINGLY. WHILE THE INFORMATION HAS BEEN OBTAINED FROM SOURCES BELIEVED TO BE ACCURATE AND RELIABLE, NO WARRANTY, EXPRESSED OR IMPLIED, CAN BE MADE WITH REGARD TO ITS ACCURACY, COMPLETENESS OR CORRECTNESS. THIS MSDS IS OFFERED INTO THE WORKPLACE FOR YOUR CONSIDERATION, INVESTIGATION AND CONCLUSIONS DRAWN HEREIN FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE PRODUCT. SINCE CONDITIONS NECESSARY FOR THE SAFE USE OF THE PRODUCT ARE NOT UNDER CONTROL OF THE MANUFACTURER, IT IS THE BUYERS, DISTRIBUTORS AND USERS LEGAL RESPONSIBILITY TO DETERMINE THE CONDITIONS NECESSARY FOR THE SAFE USE OF THE CHEMICAL PRODUCT. FINAL DETERMINATION OF SUITABILITY OF ANY MATERIAL IS THE SOLE LEGAL RESPONSIBILITY OF THE BUYERS, DISTRIBUTORS, USERS OF THIS PRODUCT. ANY USERS, DISTRIBUTORS, HANDLERS OF THIS PRODUCT WHO ARE NOT UNDER THE DIRECT, LEGALLY DEFINED CONTROL OF SERVICE CHAMP INC., ARE RESPONSIBLE FOR EVALUATING THIS INFORMATION IN LIGHT OF THE PARTICULAR WORKPLACE ENVIRONMENT, AND ARE RESPONSIBLE FOR ALL LOSSES, DAMAGES OR EXPENSES THAT RESULT WHILE THIS PRODUCT IS UNDER THEIR CONTROL. IT IS ALSO THE RESPONSIBILITY OF THE USERS, DISTRIBUTORS, HANDLERS OF THIS PRODUCT TO OBSERVE ANY AND ALL LAWS AND REGULATIONS (FEDERAL, STATE, PROVINCIAL, AND LOCAL) CONCERNING THE TRANSPORTATION, USE, HANDLING, STORAGE, AND DISPOSAL OF THIS PRODUCT.

Physicians, Toxicologists,

\*A full disclosure MSDS is available upon request for valid health and environmental emergency incidents only, by contacting (847) 459-5041 during regular business hours.

Prepared by: (GAW) EHS Department, The Penray Companies Inc. Wheeling, IL. U.S.A

END OF MSDS.